

Information on Specific Tests and Vaccines

1. Tetanus, diphtheria and pertussis

- Provide dates of your childhood vaccines
- If you do not have documentation for your childhood immunizations (booklets with dates), you must be revaccinated following the adapted schedule as outlined on the immunization form
- No booster dose is required before the age of 50 if the primary vaccination is completed

2. Polio

- Systematic vaccination of adults, including healthcare workers interns, is not necessary in Quebec. The risk of exposure to the polio virus in North America is minimal.
- Polio booster is not required unless the student is at increased risk of exposure to "wild" polio (e.g., those travelling to, or planning to work in areas that have wild polio or vaccine-derived polio outbreaks)

3. Measles

One of the following items is required:

- Students born before 1970 are considered immune
- Documented evidence of vaccination with two doses of measles-containing vaccine, given at least a month apart starting on or after the first birthday
- Documented history of the disease before January 1st, 1996
- Documentation of positive measles serology** (attach results)

4. Mumps

One of the following items is required:

- Students born before 1970 are considered immune
- Documented evidence of vaccination with one dose of mumps containing vaccine
-

Name:			
DOB:		ID#:	
Program:	ED		

OR

Student Wellness Hub

Pole bienêtre étudiant

Montreal, Quebec, Canada H3A 0G3

Montréal, QuébecCanada H3A 0G3

F: +1 5143982559

Name:			
DOB:		ID#:	
Program:			

6. VARICELLA (CHICKEN POX)

One of the following items is required for evidence of immunity

A history of previous illness

Name:	
DOB:	ID#

Student Wellness Hub
Student Services
3600 McTavish Street, Suite 3400 (West Wing)
Montreal, Quebec, Canada H3A 0G3

Pole bienêtre étudiant
Serviceauxétudiants
3600 rue McTavish, Bureau 3400 (Aile Ouest)
Montréal, QuébecCanada H3A 0G3

T: +1 514398-6017
F: +1 514398-2559